

7. Electrical Parts List

7-1 TXN1634FX/XAA

Loc. No.	Code No.	Description ; Specification	Remark
ASSY CHASSIS			
1	A/CHAS AA91-05810Z	ASSY CHASSIS;TXN1634FX/XAA,K15D	
2	CLW/HS AA65-30018A	CLAMP-WIRE;-NYLON6.6,-,-,DATL	
2	FBT AA65-30018A	CLAMP-WIRE;-NYLON6.6,-,-,DATL	
2	A/MAIN AA94-12672A	ASSY PCB MAIN;TXN1634FX/XAA,K15D	
3	Q401 0502-001115	TR-POWER;KSC5386,NPN,50WV,TO-3PF,ST,8	
△3	PC801S 0604-001038	PHOTOCOUPLER;TR,130-260%,200MW	
3	IC902 1103-001209	IC-EEPROM;AT24C04-PC27 C,512Kx8Bit,DIP,8	
3	ICS602 1203-001225	IC-POS.FIXEDREG.;78R09,TO-220,4P,-,PLA	
△3	NT801S 1404-001045	THERMISTOR NTC;4.70HM,15%,2900K,35.0MW,T	
△3	P803S 1404-001247	THERMISTOR-PTC;1.50HM;+30/-20,110V,140VA	
△3	CY801S 2201-002002	C-CERAMIC,DISC;4700PF,20%,400V	
△3	CR401S 2301-001337	C-FILM,MPE-PPF;4.3nF,5%,1.6kV,TP,28.5x16	
3	C801 2401-000822	C-ELECTROLYTIC;CE04W200V220U-H	
△3	SF101S 2904-001221	FILTER-SAW AV,45.75MHz,SIP5K,ST,14.2dB,M	
△3	FP801S 3601-001012	FUSE-FERRULE;250V,4A,SLOW-BLOW	
△3	V999S 3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
3	CN604 3711-002643	POST-HEADER;YW025-04(AUTO)	
3	CN902 3711-002642	POST-HEADER;67094-003(AUTO)	
3	CN901 3711-003043	CONNECTOR-HEADER;BOX,4P,1R,2.5mm,STRAIGH	
3	JA701 3722-001962	JACK-PIN;6P(6P)-,NI,YL/WH/RD/GN/BL/RD,-	
△3	IC201S AA09-00374A	IC MICOM;TDA9377PS/N2/AI,TXM1967,64P,3.3	
△3	T801S AA26-00172A	TRANS-SWITCHING;EER3543,K15D,90-264,PMZA	
△3	T444S AA26-00065A	TRANS FBT;-FSV-14A004C(S),14-22,125V	
△3	T401 AA26-50001B	ORIZ.DRIVE;-7.1MH,102UH,10-2	
△3	LR401S AA27-00122A	COIL LINEARITY;90UH,90UH,L81 DR10x10,7.5	
△3	LX801S AA29-30001D	FILTER-LINE;-6.0MH,2A,-,SQ191	
3	CN501 AA39-20620A	LEADCONNECTOR-ASSY;-YBNH025-09,S,9P,30	
△3	TU01S AA40-00073A	TUNER-TECC1040PG32A(S),181CH,45.75MHZ,75	
3	IC301 AA96-00244A	ASSY H/S;-,-AA62-00046A,LA7840,-	
4	0205-000129	GREASE-SILICON;SC102,JAPAN	
4	1204-001483	IC-VERTICAL PROCESSO;LA7840,SIP,7P,708MI	
4	6003-000335	SCREW-TAPTITE;RH,+2S,M3,L8,ZPC(YEL),SWR	
4	AA62-00046A	HEAT SINK-PS;-,-T1.0,-,D1(DREAM) 60X25X	
3	IC601 AA96-00244B	ASSY H/S;-,-AA62-00046A,TDA7266S,-	
4	0205-000129	GREASE-SILICON;SC102,JAPAN	
4	1201-001308	IC-POWERAMP;7266,ZIP,15P,-,DUAL,26dB,PL	
4	6003-000335	SCREW-TAPTITE;RH,+2S,M3,L8,ZPC(YEL),SWR	
4	AA62-00046A	HEAT SINK-PS;-,-T1.0,-,D1(DREAM) 60X25X	
△3	IC802 AA96-00245A	ASSY H/S;-,-AA62-00055A,KA7632,-	
4	1203-001939	IC-POS.FIXED REG.;7632,SIP,10P,-,PLASTI	
4	6003-000334	SCREW-TAPTITE;RH,+2S,M3,L6,ZP	
4	AA62-00055A	HEAT SINK-PS;-,-T1.0,-,35*15*25,D1,-,-	
3	IC501 AA96-50311A	ASSY-H/S;-,-VIDEO,AA62-30175D,TDA6107Q,-	
4	1201-001159	ICVIDEOAMP;TDA6107Q,ZIP,9P,300	
4	6003-000334	SCREW-TAPTITE;RH,+2S,M3,L6,ZP	
4	AA62-30175D	HEATSINK-PS;-,-SECC,T1.0,-,33X15X30FT-2	
△3	IC801S AA96-50395F	ASSY H/S;-,-POWER,AA62-30190A,5Q0740RT	
4	0205-000129	GREASE-SILICON;SC102,JAPAN	
4	1203-002466	IC-PWM CONTROLLER;KA5Q0740RT,TO220F-5L,5	
4	6003-000334	SCREW-TAPTITE;RH,+2S,M3,L6,ZP	
4	AA62-30190A	-SECC-CA,T1.0,-,-,Cr03 A	
△3	PWR/AC AA96-20129C	ASSY-POWER,CORD;-EP2/YES,H/C200,ME301P,	
4	AA39-10007Y	POWER-CORD;-EP2/YES,SPT-2 18AWGx2C,2.4mm	
4	AA61-20284A	HOLDER P CORD;PPVO,BLK,KE-002	
3	0204-000442	SOLVENT;CH3-CH5H-CH396%IM-1000	
3	0202-000008	SOLDER-WIRE;S63S-D3.0,S63A,D3,63/37	
3	0204-001024	FLUX;DF-96TVS,-,20%,	
3	0202-000187	SOLDER-WIREFLUX;-RS60S,D1,2.6	
3	ICS601 1204-001974	IC-SOUND PROCESSOR,UPC1851BCU,SDIP,42P,6	
△3	CX801S 2306-000318	C-FILM,MPPF;220NF,20%,250V,-,2	
3	CN701 3711-003641	CONNECTOR-HEADER;BOX,12P,1R,2.	
3	RWK 2202-000127	C-CERAMIC,MLC-AXIAL;10NF,+80-2	
3	L/POS AA68-01018A	LABEL-POS;-,-50mmX,13,-,WHITE,-	
3	A/AUTO AA97-13792X	ASSY AUTO-MAIN;TXN1634FX/XAA,K15D	
4	D201 0401-000005	DIODE;1N4148,100V,300mA,1V,8nS,TAPING	
4	D601 0401-000005	DIODE;1N4148,100V,300mA,1V,8nS,TAPING	

Loc. No.	Code No.	Description ; Specification	Remark
△4	D804	0401-000005	DIODE;1N4148,100V,300mA,1V,8nS,TAPING
△4	D808	0401-000005	DIODE;1N4148,100V,300mA,1V,8nS,TAPING
△4	D811	0401-000005	DIODE;1N4148,100V,300mA,1V,8nS,TAPING
△4	DR003S	0401-000005	DIODE;1N4148,100V,300mA,1V,8nS,TAPING
△4	D803	0401-000006	DIODE-SWITCHING;BAV21,250MA,400MW,50NS,2
4	D303	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41
△4	D809	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41
4	D501	0402-000254	DIODE-RECTIFIER;RGP10J,600V,1A,DO-41
△4	DR001S	0402-000254	DIODE-RECTIFIER;RGP10J,600V,1A,DO-41
4	D302	0402-000534	DIODE-RECTIFIER;RG10V,400V,1.5
4	D301	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,
4	D304	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,
4	D401	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,
4	D502	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,
4	D503	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,
4	D504	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,
△4	D812	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,
△4	D801S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-2
△4	D802S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-2
△4	D803S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-2
△4	D804S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-2
△4	D805	0402-000540	DIODE-RECTIFIER;RU20A,600V,1.5
4	DZ401	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500
4	DZ402	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500
4	DZ904	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500
4	DZ905	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500
△4	DR002S	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500
4	DZ211	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500
4	DZ803	0403-000699	DIODE-ZENER;TZP27B,27V,27-30.8
4	DZ101	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,
4	DZ303	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,
4	DZ604	0403-000719	DIODE-ZENER;MTZJ7.5B,7.5V,7.07-7.45V,500
4	DZ201	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500
4	DZ202	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500
4	DZ205	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500
4	DZ306	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500
4	DZ307	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500
4	DZ501	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500
4	DZ502	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500
4	DZ503	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500
4	DZ504	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500
4	DZ806	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500
4	DZ807	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500
4	DZ808	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500
4	DZ801	0403-001140	DIODE-ZENER;RD10ESAB-T4,10V,9.19-10.30V,
4	DZ204	0403-001211	DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D
4	DZ302	0403-001221	DIODE-ZENER;UZ39BSB,35.36-37.19V,500MW,D
4	DZ802	0403-001318	DIODE-ZENER;MTZJ4.3B,4.17-4.43V,500mW,DO
4	DZ901	0403-001373	DIODE-ZENER;MTZJ5.1A,4.81V,5.07V,500mW,D
4	DZ805	0403-001327	DIODE-ZENER;MTZJ18A,16.22-17.06V,500mW,D
4	DZ301	0403-001328	DIODE-ZENER;MTZJ22A,20.15-21.20V,500mW,D
4	DZ305	0403-001328	DIODE-ZENER;MTZJ22A,20.15-21.20V,500mW,D
4	Q201	0501-000283	TRANSISTOR;KSA539-Y(TAPG)/YTAM
4	Q901	0501-000283	TRANSISTOR;KSA539-Y(TAPG)/YTAM
△4	QR001S	0501-000283	TRANSISTOR;KSA539-Y(TAPG)/YTAM
4	Q402	0501-000369	TRANSISTOR;KSC2331-Y(TAPG)
4	Q202	0501-002183	TR-SMALL SIG;KTC9014,NPN,625MW,TO-92,100
4	Q601	0501-002183	TR-SMALL SIG;KTC9014,NPN,625MW,TO-92,100
4	Q802	0501-002183	TR-SMALL SIG;KTC9014,NPN,625MW,TO-92,100
4	R207	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,
4	RS603	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1
4	R206	2001-000010	R-CARBON;68Kohm,5%,1/8W,AA,TP,1.8x3.2mm
4	RS602	2001-000010	R-CARBON;68Kohm,5%,1/8W,AA,TP,1.8x3.2mm
4	R301	2001-000016	R-CARBON(S);10HM,5%,1/2W,AA,TP
4	R843	2001-000019	R-CARBON(S);10ohm,5%,1/2W,AA,TP,2,4x6.4mm
4	R409	2001-000022	R-CARBON(S);33OHM,5%,1/2W,AA,T
4	R823	2001-000037	R-CARBON(S);330OHM,5%,1/2W,AA,T
4	R808	2001-000109	R-CARBON(S);470OHM,5%,1/2W,AA,T
4	R211	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,

Electrical Parts List

Loc. No.	Code No.	Description ; Specification	Remark	Loc. No.	Code No.	Description ; Specification	Remark
4	R233	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R423	2004-001408	R-METAL(S);91KOHM,1%,1/2W,AA,T
4	R501	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R411	2001-001114	R-CARBON(S);2700HM,5%,1/2W,AA,
4	R502	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R821	2001-001125	R-CARBON(S);300KOHM,5%,1/2W,AA
4	R506	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R809	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA
4	R510	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R810	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA
4	R511	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R818	2001-001154	R-CARBON(S);5.1KOHM,5%,1/2W,AB
4	R512	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R805	2001-001170	R-CARBON(S);6.80HM,5%,1/2W,AB,
4	R909	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R831	2001-001192	R-CARBON(S);8200HM,5%,1/2W,AB,
4	R911	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R501H	2002-001008	R-COMPOSITION;1.8KOHM,10%1/2W,AA,TP;3.7
4	R912	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R502H	2002-001008	R-COMPOSITION;1.8KOHM,10%1/2W,AA,TP;3.7
4	R913	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R503	2002-001008	R-COMPOSITION;1.8KOHM,10%1/2W,AA,TP;3.7
4	R914	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	△ 4	RY801S	2002-001013	R-COMPOSITION;4.7M0hm,5%,1/2W,AA,TP;3.7X
4	R917	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R402	2003-002178	R-METAL OXIDE(S) 1Kohm,5%,2W,AG,TP;3.9X1
4	R933	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R413	2003-000664	R-METAL OXIDE(S);330HM,5%,2W,AF,TP;4X12M
4	R934	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R403	2003-001093	R-METALOXIDE;RS2RT123-J12K
4	R942	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R827	2003-001023	R-METALOXIDE(S);1200HM,5%,2W,A
4	R943	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R407	2003-001040	R-METALOXIDE(S);47Kohm,5%,2W,AF,TP;3.9x1
4	RS608	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R315	2003-002009	R-METALOXIDE(S);3900HM,5%,2W,A
4	RS609	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R316	2003-002009	R-METALOXIDE(S);3900HM,5%,2W,A
4	R224	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	R803	2003-002102	R-METAL OXIDE;68Kohm,5%,2W,AF,TP;4x12mm
4	R291A	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	R804	2003-002102	R-METAL OXIDE;68Kohm,5%,2W,AF,TP;4x12mm
4	R601	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	R603	2004-000195	R-METAL;100Kohm,1%,1/8W,AA,TP,1.8x3.2m
4	R612	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	R302	2004-001371	R-METAL(S);1.5KOHM,1%,1/2W,AA,
4	R807	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	R306	2004-001371	R-METAL(S);1.5KOHM,1%,1/2W,AA,
4	R828	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	R405	2001-001187	R-CARBON(S);750HM,5%,1/2W,AA,T
4	R910	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	R817	2004-001377	R-METAL(S);120KOHM,1%,1/2W,AA,TP;2.4X6.4
4	RS610	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	R424	2004-001402	R-METAL(S);6.8KOHM,1%,1/2W,AA,
4	RS612	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	R219	2004-001914	R-METAL;39KOHM,2%,1/8W,AA,TP,1
4	RS614	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	R822	2004-001983	R-METAL;2.49KOHM,1%,1/2W,AA,TP;2.4X6.4
4	R225	2001-000325	R-CARBON;1200HM,5%,1/8W,AA,TP,	4	R304	2008-000253	R-FUSIBLE(S);0.470HM,5%,1W,AF,
4	R205	2001-000397	R-CARBON;180KOHM,5%,1/8W,AA,TP	4	R305	2008-000253	R-FUSIBLE(S);0.470HM,5%,1W,AF,
△ 4	RR005S	2001-000397	R-CARBON;180KOHM,5%,1/8W,AA,TP	4	R801	2008-001107	R-FUSIBLE(S);300ohm,5%,2W,AG,TP;3.9x12mm
4	R218	2001-000411	R-CARBON;18KOHM,5%,1/8W,AA,TP,	4	R825	2008-000266	R-FUSIBLE(S);10HM,5%,2W,AF,TP,
△ 4	RR002S	2001-000411	R-CARBON;18KOHM,5%,1/8W,AA,TP,	4	R303	2008-000266	R-FUSIBLE(S);10HM,5%,2W,AF,TP,
4	R602	2001-000429	R-CARBON;1Kohm,5%,1/8W,AA,TP,1.8x3.2mm	4	R608	2003-002064	R-METALOXIDE;7.50HM,5%,2W,AF,T
4	R604	2001-000429	R-CARBON;1Kohm,5%,1/8W,AA,TP,1.8x3.2mm	4	R609	2003-002064	R-METALOXIDE;7.50HM,5%,2W,AF,T
4	R926	2001-000429	R-CARBON;1Kohm,5%,1/8W,AA,TP,1.8x3.2mm	4	R613	2003-002064	R-METALOXIDE;7.50HM,5%,2W,AF,T
4	R944	2001-000429	R-CARBON;1Kohm,5%,1/8W,AA,TP,1.8x3.2mm	4	R824	2008-000294	R-FUSIBLE;330HM,5%,2W,AF,TP,3.
4	RS601	2001-000429	R-CARBON;1Kohm,5%,1/8W,AA,TP,1.8x3.2mm	4	R422	2008-001011	R-FUSIBLE(S);0.180HM,10%,2W,AF
4	RS606	2001-000429	R-CARBON;1Kohm,5%,1/8W,AA,TP,1.8x3.2mm	4	R420	2008-001047	R-FUSIBLE(S);68ohm,5%,2W,AF,TP;3.9x10mm
4	RS607	2001-000429	R-CARBON;1Kohm,5%,1/8W,AA,TP,1.8x3.2mm	4	R614	2008-001136	R-FUSIBLE(S);0.82ohm,5%,2W,AF,TP;3.9x10m
4	R918	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP	4	C302	2201-000132	C-CERAMIC,DISC;100PF,10%,500V,Y5P6X3MM,
4	R940	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP	4	CS621	2201-000327	C-CERAMIC,DISC;2.2NF,10%,50V,Y
4	R941	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP	4	CS624	2201-000327	C-CERAMIC,DISC;2.2NF,10%,50V,Y
4	R907	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP	4	C816	2201-000375	C-CERAMIC,DISC;220PF,5%,50V,RH
4	R908	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP	4	CS626	2201-000379	C-CERAMIC,DISC;22NF,+80-20%,50
4	R214	2001-000490	R-CARBON;2000HM,5%,1/8W,AA,TP,	4	C908	2201-000573	C-CERAMIC,DISC;47PF,5%,50V,NPO
4	R829	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	4	C909	2201-000573	C-CERAMIC,DISC;47PF,5%,50V,NPO
4	R208	2001-000591	R-CARBON;3.3KOHM,5%,1/8W,AA,TP	4	C408	2201-000599	C-CERAMIC,DISC;560PF,10%,500V,
4	R220	2001-000613	R-CARBON;3.9KOHM,5%,1/8W,AA,TP	△ 4	CR404S	2201-000983	C-CERAMIC,DISC;1nF,10%,2KV,Y5P,TP,9x5.7,
4	R202	2001-000689	R-CARBON;390KOHM,5%,1/8W,AA,TP	4	C503	2201-000723	C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5
4	R830	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP	4	C811	2201-000991	C-CERAMIC,HIC;CK451TB2KV561-K
4	R925	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP	4	C105	2202-000127	C-CERAMIC,MLC-AXIAL;10NF,+80-2
4	R227	2001-000739	R-CARBON;4.7MOHM,5%,1/8W,AA,TP	4	C111	2202-000127	C-CERAMIC,MLC-AXIAL;10NF,+80-2
4	R228	2001-000739	R-CARBON;4.7MOHM,5%,1/8W,AA,TP	4	C912	2202-000127	C-CERAMIC,MLC-AXIAL;10NF,+80-2
4	R109	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,	4	C226	2202-000231	C-CERAMIC,MLC-AXIAL;330PF,10%,50V,Y5P,3.
4	RS605	2001-000800	R-CARBON;5.1KOHM,5%,1/8W,AA,TP	4	C223	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50
4	R203	2001-000857	R-CARBON;5600HM,5%,1/8W,AA,TP,	4	C224	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50
4	R288	2001-000908	R-CARBON ;62Kohm,5%,1/8W,AA,TP,1.8x3.2mm	4	C602	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50
4	R289	2001-000908	R-CARBON ;62Kohm,5%,1/8W,AA,TP,1.8x3.2mm	4	C906	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50
4	R110	2001-000924	R-CARBON;680ohm,5%,1/8W,AA,TP,1.8x3.2mm	4	C505	2202-000825	C-CERAMIC,MLC-AXIAL;680PF,10%,50V,Y5P,TP
4	R108	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP	4	C211	2202-002037	C-CERAMIC,MLC-AXIAL;100NF,+80-20
4	R222	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP	4	C502	2301-000213	C-FILM,PEF;220NF,5%,250V,21.5X
4	R605	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP	4	C109	2301-000224	C-FILM,PEF;22NF,5%,50V,7.4X3.9
4	R212	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1	4	C804	2301-000224	C-FILM,PEF;22NF,5%,50V,7.4X3.9
4	R215	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1	4	C309	2301-000254	C-FILM,PEF;39NF,5%,50V,7.5X3.5X6.5MM,5MM
4	R610	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1	4	C227	2301-000301	C-FILM,PEF;6.8NF,5%,50V,6.5X5.
4	R711	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1	4	C217	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,
4	R712	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1	4	C234	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,
4	R714	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1	4	C805	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,
4	R408	2001-001037	R-CARBON(S);0.390HM,5%,1/2W,AA	4	CS606	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m
4	R504	2001-001062	R-CARBON(S);10MOHM,5%,1/2W,AA,	4	C407	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm
4	R414	2001-001078	R-CARBON(S);15KOHM,5%,1/2W,AA,	4	C248	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm
4	R832	2001-001088	R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4	4	C420	2301-001065	C-FILM,MPPF;47NF,55.630V,TP,19
4	R819	2001-001088	R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4	4	C312	2305-000149	C-FILM;CF92N100VT104-U-40/105
4	R820	2001-001088	R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4	4	C301	2305-000285	C-FILM,MPEF;220NF,5%,100V,-5M
4	R840	2001-001108	R-CARBON(S);22KOHM,5%,1/2W,AA,	4	C215	2305-000289	C-FILM,MPEF;220NF,5%,63V,-5MM

Loc. No.	Code No.	Description ; Specification	Remark	Loc. No.	Code No.	Description ; Specification	Remark
4	C216	2305-000289	C-FILM,MPEF;220NF,5%,63V,-,5MM	4	R102	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.
4	C233	2305-000289	C-FILM,MPEF;220NF,5%,63V,-,5MM	4	L203	2701-000127	INDUCTOR-AXIAL;15UH,10%,2.5X3.
4	C205	2305-000289	C-FILM,MPEF;220NF,5%,63V,-,5MM	4	L301	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4
4	C235	2305-000289	C-FILM,MPEF;220NF,5%,63V,-,5MM	4	L302	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4
4	C236	2305-000289	C-FILM,MPEF;220NF,5%,63V,-,5MM	4	L404	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4
△	CR405S	2201-000441	C-CERAMIC,DISC;3.3nF,10%,500V,Y5P,TP;10x	4	L102	2701-000159	INDUCTORAXIAL;22uH,10%,4.2x9.8mm
4	C916	2305-000412	C-FILM,MPEF;470NF,5%,63V,-,5MM	4	L201	2701-000159	INDUCTORAXIAL;22uH,10%,4.2x9.8mm
4	C103	2305-000665	C-FILM;104J, 60V,5MM TAPING	4	L230	2701-000159	INDUCTORAXIAL;22uH,10%,4.2x9.8mm
4	C207	2305-000665	C-FILM;104J, 60V,5MM TAPING	4	L405	2701-000159	INDUCTORAXIAL;22uH,10%,4.2x9.8mm
4	C208	2305-000665	C-FILM;104J, 60V,5MM TAPING	4	L902	2701-000177	INDUCTOR-AXIAL;33UH,10%,2.5X3.4MM
4	C210	2305-000665	C-FILM;104J, 60V,5MM TAPING	4	L904	2701-000177	INDUCTOR-AXIAL;33UH,10%,2.5X3.4MM
4	C218	2305-000665	C-FILM;104J, 60V,5MM TAPING	4	L804	2701-001030	INDUCTOR-AXIAL;43uH,10%,14x4.5mm
4	C222	2305-000665	C-FILM;104J, 60V,5MM TAPING	4	L807	2701-001030	INDUCTOR-AXIAL;43uH,10%,14x4.5mm
4	C230	2305-000665	C-FILM;104J, 60V,5MM TAPING	4	L808	2901-000297	FILTER-EMI ON BOARD;-;3A,-,-,3.5x5,TP-
4	C803	2305-000665	C-FILM;104J, 60V,5MM TAPING	4	L806	3301-000287	CORE-FERRITEBEAD;AA,3.5X1.0X6.
4	C819	2305-000665	C-FILM;104J, 60V,5MM TAPING	4	L803	3301-000287	CORE-FERRITEBEAD;AA,3.5X1.0X6.
4	C913	2305-000665	C-FILM;104J, 60V,5MM TAPING	4	J124	3301-000287	CORE-FERRITEBEAD;AA,3.5X1.0X6.
4	C920	2305-000665	C-FILM;104J, 60V,5MM TAPING	4	L206	3301-000287	CORE-FERRITEBEAD;AA,3.5X1.0X6.
4	CS602	2305-000665	C-FILM;104J, 60V,5MM TAPING	△	FD801S	3601-001086	FUSE-AXIAL LEAD;125V,5A,FAST-ACTING,GLAS
4	CS608	2305-000665	C-FILM;104J, 60V,5MM TAPING	4	F801A	3602-000114	FUSE-HOLDER;-,-,30MOHM
4	C225	2309-000138	C-FILM,PE-PPF;100NF,5%,50V,TP,	4	F801B	3602-000114	FUSE-HOLDER;-,-,30MOHM
4	C812	2401-000262	C-AL;100UF,20%,160V,GP,16X25MM,5MM,	4	J101	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C817	2401-000302	C-AL;100UF,20%,25V,GP,6X11MM,5	4	J102	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C821	2401-000302	C-AL;100UF,20%,25V,GP,6X11MM,5	4	J103	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C823	2401-000302	C-AL;100UF,20%,25V,GP,6X11MM,5	4	J104	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS629	2401-000302	C-AL;100UF,20%,25V,GP,6X11MM,5	4	J105	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C307	2401-000360	C-AL;100UF,20%,50V,GP,8X11MM,5	4	J106	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C308	2401-000360	C-AL;100UF,20%,50V,GP,8X11MM,5	4	J107	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C506	2401-000430	C-ELECTROLYTIC;CE04WTAPG250V10	4	J108	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C403	2401-000560	C-AL;1UF,20%,160V,GP,GT,6.3,11MM	4	J110	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C219	2401-000603	C-AL;1UF,20%,50V,GP,5X11MM,5MM	4	J111	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C601	2401-000603	C-AL;1UF,20%,50V,GP,5X11MM,5MM	4	J112	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS603	2401-000603	C-AL;1UF,20%,50V,GP,5X11MM,5MM	4	J113	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS611	2401-000603	C-AL;1UF,20%,50V,GP,5X11MM,5MM	4	J114	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS613	2401-000603	C-AL;1UF,20%,50V,GP,5X11MM,5MM	4	J115	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS614	2401-000603	C-AL;1UF,20%,50V,GP,5X11MM,5MM	4	J117	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS616	2401-000603	C-AL;1UF,20%,50V,GP,5X11MM,5MM	4	J120	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS617	2401-000603	C-AL;1UF,20%,50V,GP,5X11MM,5MM	4	J121	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C221	2401-000660	C-ELECTROLYTIC;CE04WTAPG50V2.2	4	J122	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS605	2401-000660	C-ELECTROLYTIC;CE04WTAPG50V2.2	4	J128	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS622	2401-000660	C-ELECTROLYTIC;CE04WTAPG50V2.2	4	J129	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS625	2401-000660	C-ELECTROLYTIC;CE04WTAPG50V2.2	4	J130	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C280	2401-000660	C-ELECTROLYTIC;CE04WTAPG50V2.2	4	J131	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C815	2401-000703	C-ELEC;CE04-40/8525VT222-MWSD	4	J132	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C827	2401-000927	C-AL;22UF,20%,250V,GP,13X20MM,	4	J135	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C110	2401-000962	C-AL;22UF,20%,50V,GP,TP,5x11,5	4	J136	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS601	2401-000962	C-AL;22UF,20%,50V,GP,TP,5x11,5	4	J137	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS610	2401-001026	C-AL;3.3UF,20%,50V,GP,5X11MM,5	4	J138	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C802	2401-001192	C-AL;33UF,20%,50V,GP,6X11MM,5MM,TP	4	J139	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C504	2401-001232	C-AL;4.7UF,20%,250V,GP,10X12.5	4	J140	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS607	2401-001334	C-ALUMINUM;470NF,20%,50V,GP,5*11MM,2MM,T	4	J142	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C304	2401-001397	C-AL;470UF,20%,25V,GP,10X16MM,	4	J150	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C306	2401-002288	C-ELEC;CE04-55/10525VT471-MWRG	4	J401	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C209	2401-000025	C-ALUMINUM;100uF,20%,16V,GP,TP,6.3x11,5	4	J602	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C213	2401-000025	C-ALUMINUM;100uF,20%,16V,GP,TP,6.3x11,5	4	J604	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C229	2401-000025	C-ALUMINUM;100uF,20%,16V,GP,TP,6.3x11,5	4	J605	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C903	2401-000025	C-ALUMINUM;100uF,20%,16V,GP,TP,6.3x11,5	4	J606	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C910	2401-000025	C-ALUMINUM;100uF,20%,16V,GP,TP,6.3x11,5	4	J801	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C605	2401-001998	C-AL;1000UF,20%,25V,GP,TP,10X20	4	J802	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS604	2401-002075	C-AL;4.7uF,20%,50V,GP,TP,5x11,5mm	4	J803	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS615	2401-002075	C-AL;4.7uF,20%,50V,GP,TP,5x11,5mm	4	J804	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS618	2401-002075	C-AL;4.7uF,20%,50V,GP,TP,5x11,5mm	4	J806	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS619	2401-002075	C-AL;4.7uF,20%,50V,GP,TP,5x11,5mm	4	J807	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C901	2401-002144	C-AL;47uF,20%,16V,GP,TP,5x11,5	4	J808	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C203	2401-000050	C-AL;10UF,20%,16V,GP,TP,5X11,2.5	4	JAW02	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C220	2401-000050	C-AL;10UF,20%,16V,GP,TP,5X11,2.5	4	JS601	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C231	2401-000050	C-AL;10UF,20%,16V,GP,TP,5X11,2.5	4	R229	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C820	2401-000050	C-AL;10UF,20%,16V,GP,TP,5X11,2.5	4	R309	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	CS612	2401-000050	C-AL;10UF,20%,16V,GP,TP,5X11,2.5	4	R507	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C813	2401-002290	C-AL;47uF,20%,160V,GP,TP,13x20,5	4	R508	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C101	2401-002594	C-AL;220uF,20%,16V,GP,TP,8x11.5,5	4	R509	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C406	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	4	R850	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	C818	2401-003028	C-AL;100UF,20%,25V,WT,TP,6.3X1	4	J125	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	L103	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.	4	L805	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	L202	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.	4	J143	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	L903	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.	4	J811	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA
4	R101	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.	4	DZ804	3812-000219	JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/MIA

Loc. No.	Code No.	Description ; Specification	Remark
4	J822	3812-000219 JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/M/A	
4	J133	3812-000219 JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/M/A	
4	J603	3812-000219 JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/M/A	
4	J402	3812-000219 JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/M/A	
4	J823	3812-000219 JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/M/A	
4	J127	3812-000219 JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/M/A	
△	L403	3812-000219 JUMPER-WIRE-SO,COPPER;TAO.6SN/52M/M/A	
4	Q2VER	AA41-00625C PCB-MAIN;TXM1967X/XAA,FR-1,1L,C,1.6T,245	
4	EY401	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY402	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY403	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY404	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY405	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY414	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY415	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY416	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY417	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY418	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY419	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY420	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY421	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY501	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY819	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY827	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY829	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EY833	AA60-40011A EYELET;-ID2.0,OD2.8,-,BST	
4	EL401	AA60-40011B EYELET;-ID2.2,OD3.2,-,BSP	
4	EL402	AA60-40011B EYELET;-ID2.2,OD3.2,-,BSP	
4	EL801	AA60-40011B EYELET;-ID2.2,OD3.2,-,BSP	
4	EL802	AA60-40011B EYELET;-ID2.2,OD3.2,-,BSP	
4	GT501	AA60-40014A PIN-GT,ASSY;1P,-,AUTO	
4	GT801	AA60-40014A PIN-GT,ASSY;1P,-,AUTO	
4	GT802	AA60-40014A PIN-GT,ASSY;1P,-,AUTO	
4	GT803	AA60-40014A PIN-GT,ASSY;1P,-,AUTO	
4	GT804	AA60-40014A PIN-GT,ASSY;1P,-,AUTO	
4	GT805	AA60-40014A PIN-GT,ASSY;1P,-,AUTO	
4	GT301	AA60-40014A PIN-GT,ASSY;1P,-,AUTO	
4	GT302	AA60-40014A PIN-GT,ASSY;1P,-,AUTO	
4	GT401	AA60-40014A PIN-GT,ASSY;1P,-,AUTO	
4	GT402	AA60-40014A PIN-GT,ASSY;1P,-,AUTO	
4	Z201	2903-000129 FILTER-CERAMIC;BR,4.5MHz,-,-,TP-	
4	IC803	1203-001217 IC-POST,ADJUSTREG;431,T0-92,3P,4.58MIL,P	
4	R505	2008-000206 R-FUSIBLE(S);10HM,5%,1/2W,AF,T	
4	R421	2008-001015 R-FUSIBLE;1.50HM,5%2WAF,TP39X10	
4	C806A	2201-000108 C-CERAMIC,DISC;1.5NF,10%,1KV,Y	
4	CR10	2301-000192 C-FILM,PEF;1NF,5%,50V,5.3X10MM	
△	CR01S	2401-000480 C-AL;10UF,20%,50V,GP,5X11MM,5M	
△	CR02S	2401-000480 C-AL;10UF,20%,50V,GP,5X11MM,5M	
4	CS609	2401-000480 C-AL;10UF,20%,50V,GP,5X11MM,5M	
4	CS620	2401-000480 C-AL;10UF,20%,50V,GP,5X11MM,5M	
4	CS623	2401-000480 C-AL;10UF,20%,50V,GP,5X11MM,5M	
△	RR001S	2001-000660 R-CARBON;33KOHM,5%,1/8W,AA,TP	
△	RR003S	2004-001379 R-METAL(S);12KOHM,1%,1/2W,AA,T	
△	RR004S	2004-001987 R-METAL;4.3KOHM,1%,1/2W,AA,TP	
△	RP801S	2002-001010 R-COMPOSITION;1.8MOHM,5%,1/2W,AA,TP,3.7X	
4	CS631	2401-001914 C-AL;1uF,20%,50V,BP,TP,5x11,5	
4	C603	2401-001914 C-AL;1uF,20%,50V,BP,TP,5x11,5	
△	D807	0402-000493 DIODE-RECTIFIER;1R5GU41,400V,1	
4	L/LINE	AA68-015444 LABEL;LINE,ALL MDL COMMON	
4	C232	2201-000262 C-CERAMIC,DISC;180PF,10%,50V,Y	
4	RS604	2004-005053 R-METAL;16.6KOHM,1%,18W,AA,TP,1.8X3.2MM	
4	C604	2301-000204 C-FILM,PEF;2.7NF,5%,50V,7.4X3.	
4	CS632	2301-000204 C-FILM,PEF;2.7NF,5%,50V,7.4X3.	
4	RS613	2001-000387 R-CARBON;16KOHM,5%,1/8W,AA,TP	
4	R607	2001-000387 R-CARBON;16KOHM,5%,1/8W,AA,TP	
△	CR409S	2201-000984 C-CERAMIC,DISC;680PF,10%,2KV,Y	
△	CR403S	2306-000166 C-FILM,MPPF;220NF,5%,400V,-,7.5MM,TP	
3	X901	2801-004033 CRYSTAL-UNIT;12MHZ,30PPM,28-AAM,30PF,300	

ASSY COVER FRONT

1	A/CFRO	AA90-04589A ASSY COVER FRONT;TXN1634FX/XAA(17M6)	
2	SPK+CF	6003-001019 SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR	
2	AV+CF	6003-001268 SCREW-TAPTITE;TH,+,B,M4.0,L12.0,ZPC(YEL)	

Loc. No.	Code No.	Description ; Specification	Remark
2	PC+CF	6003-001268 SCREW-TAPTITE;TH,+,B,M4.0,L12.0,ZPC(YEL)	
2	CRT+CF	AA60-10050R SCREW-ASSY;WC,HH,+,M5,L31.5,SWR	
2	STOPPE	AA61-40113A STOPPER-PCB;-ABS,HB,NTR	
2	F/C	AA96-01488A ASSY COVER P-FRONT;TXN1634F(17M6),VO,G43	
3	KC+CF	6003-001019 SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR	
3	WR+CF	6003-001019 SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR	
3	SPRING	AA61-60003J SPRING ETC-CS;-SUS304,-,-,OD6,N7,OD6,-,	
3	KP	AA64-02100E KNOB POWER;25M6,29M6,ABS,HB,G3676,SVM301	
3	KC	AA64-02102C KNOB CONTROL;25M6,29M6,ABS,HB,G3676,SVM3	
3	WR	AA64-02103B WINDOW-RMC,LED;25M6,29M6,ACRYL,HB,CLEAR	
3	CF	AA64-03425A CABINET-FRONT;17M6(SAMEX),HIPS,VO,G4309,	
2	BADGE	AA64-70123A BADGE-BRAND;AL,SAMSUNG,SILVER,L=50,FLAT,	
2	INL/AV	AA64-01309H INLAY AV;PS SHEET,21D8,T0.3,-,-,S15A L	
2	DRESPK	AA65-30018A CLAMP-WIRE;-NYLON6.6,-,DATL	
2	L/QMS	AA68-02391A LABEL-QMS;ART-PAPER(90)G,110x24mm	
2	A/A-V	AA96-01546A ASSY PCB P-A/V SIDE;TXN1634FX,K15D	
3	CN705A	AA39-20071D LEAD-CONNECTOR,ASSY;-YBNH025-12,67096-0	
3	JE601	3722-000143 JACK-PHONE;1P,3.4MM,-,MBAG	
3	JR01	3722-001031 JACK-RCA;3P,3.6MM,#18,AU	
3	RE01	2001-001077 R-CARBON(S);1500HM,5%,1/2W,AA,	
3	RE02	2001-001077 R-CARBON(S);1500HM,5%,1/2W,AA,	
3	CE01	2401-000480 C-AL;10UF,20%,50V,GP,5X11MM,5M	
3	CE02	2401-000480 C-AL;10UF,20%,50V,GP,5X11MM,5M	
3	00VER	AA41-00414A PCB-SIDE A/V;CT21D8,FR-1,1L,A,1.6T,245x2	
2	A/CTRL	AA96-01545A ASSY PCB P-CONTROL;TXN1634FX,K15D	
3	DZA01	0403-000508 DIODE-ZENER;MTZJ5 6B,5.6V,5.45-5.73V,500	
3	RA02	2001-000005 R-CARBON;3900HM,5%,1/8W,AA,TP	
3	RA04	2001-000005 R-CARBON;3900HM,5%,1/8W,AA,TP	
3	RA01	2001-000241 R-CARBON;1.5KOHM,5%,1/8W,AA,TP	
3	RA05	2001-000241 R-CARBON;1.5KOHM,5%,1/8W,AA,TP	
3	RA03	2001-000472 R-CARBON;2.7KOHM,5%,1/8W,AA,TP	
3	RA06	2001-000472 R-CARBON;2.7KOHM,5%,1/8W,AA,TP	
3	RA08	2001-000793 R-CARBON;470HM,5%,1/8W,AA,TP,1	
3	RA07	2001-000924 R-CARBON;680ohm,5%,1/8W,AA,TP,1.8x3.2mm	
3	CA01	2401-002009 C-AL;100UF,20%,16V,GP,TP,6.3X7	
3	00VER	AA41-00889A PCB CONTROL;CT-17M6,245*245A,,K15D,4,	
3	SWA01	3404-000176 SWITCH-TACT;12V,50MA,90-150GF,	
3	SWA02	3404-000176 SWITCH-TACT;12V,50MA,90-150GF,	
3	SWA03	3404-000176 SWITCH-TACT;12V,50MA,90-150GF,	
3	SWA04	3404-000176 SWITCH-TACT;12V,50MA,90-150GF,	
3	SWA05	3404-000176 SWITCH-TACT;12V,50MA,90-150GF,	
3	SWA06	3404-000176 SWITCH-TACT;12V,50MA,90-150GF,	
3	LD01	0601-000465 LED;ROUND,GRN,5mm,565	
3	RM01	AA32-00012A MODULE REMOCON;ORC-50HF2,38KHZ,940NM,SES	
3	CNA01	AA39-00100F LEAD CONNECTOR-ASSY;-4P,200MM,YBNH250-04	
3	CNA02	AA39-20005D LEAD CONNECTOR-ASSY;-3PYBNH250-03,67096	
2	A/SPK	AA96-10137A ASSY-SPEAKER;3W,80HM X 2,SY4,R700/L350	
3	SPK	3001-001020 SPEAKER;3W,80hm,90dB,140Hz	
3	L/SPK	AA39-20505M LEAD-CONNECTOR;SY4XREC,R700/L350	
2	CWFCL	AA65-30105A CLAMP-WIRE;NYLON 66N,VO,NTR,15MM	
2	CWFCCR	AA65-00011C CLAMP-WIRE;ALL MODEL,NYLON 66,V2,NTR,25M	

ASSY COVER REAR

1	A/CREA	AA90-04590A ASSY COVER REAR;17M6,VO,G4309,SEA K15D	
2	CB+CF	6003-001026 SCREW-TAPTITE;RH,+,B,M4,L15,ZPC(BLK),SWR	
2	CB+RCA	6003-001026 SCREW-TAPTITE;RH,+,B,M4,L15,ZPC(BLK),SWR	
2	S/FELT	AA60-00091J SPACER-FELT;-FELT,330X10,-,-,BLK,T0.5-	
2	B/C	AA64-03426A CABINET-BACK;17M6(SAMEX),HIPS,VO,G4309	
2	AC+BC	AA65-30008A CLAMP-CORD;-PE,HB,BLK,-,	
2	INL/BA	AA64-60385M INLAY-BACK;17M6,PS SHEET,BLK,K15D S/T DV	
2	INL/CO	AA64-02909A INLAY-CAUTION;BLK,GRY-TXT,23X93,WFC	
2	L/RAT	AA68-02692A LABEL RATING;WHITE-PAPER,60X90MM,SEA/SEC	
2	L/STAR	AA68-01557A LABEL ENERGY;STAR,STATIC FREE FILM	
2	L/DHHS	AA68-02887A LABEL-DHHS;A41QFG692,17	

ASSY BOX

1	A/BOX	AA92-07733A ASSY BOX;TXN1634FX/XAA(17M6)	
2	L/BOX	AA68-01542A LABEL;(UNIBOX),PAPER WHT ALLMD	
2	PCK	AA69-02157A PACKING CASE;17M6(SAMEX),SW-4 A,A1,560,4	

Loc. No.	Code No.	Description ; Specification	Remark	Loc. No.	Code No.	Description ; Specification	Remark
----------	----------	-----------------------------	--------	----------	----------	-----------------------------	--------

ASSY P/MATERIAL

1	A/PMAT	AA92-07734A	ASSY P/MATERIAL;17M6				
2	BXTAPE	0203-001295	TAPE-OPP MASKING;1242,T0.06,W100,L91.4M,				
2	STAPLE	AA60-40006A	PIN-STAPLE;-,-,H18,33X17.8X2				
2	C/SET	AA69-02101A	CUSHION-SET;17M6(SAMEX),PS FOAMED,C=0.02				
2	PE-BAG	AA69-01208A	BAG;SHEET,19-20,W42,L50,FOAM,OEM				

ASSY CPT

1	A/CPT	AA91-06299A	ASSY CPT;TXN1634FX/XAX,17,+0MG,BARE,SDI				
2	TAPE-D	0203-001279	TAPE-OPP MASKING;#232,T0.14,W15,L50000,Y				
△	CRT	AA03-00392A	CRT COLOR;A41QFG692X,0mG,33mm,54.8%,FLAT				
2	C-Y	AA27-00002A	MAGNET-CONVERGENCE;JH291-SC-OB,29.1M				
2	D-Y	AA27-00299A	DEFLECTION YOKE;DIF-1792AA,S/T,17.29.1m				
2	DCOIL	AA27-00301A	COIL DEGAUSSING;17INCH,17INCH,2.40mH,10%				
2	SPACER	AA63-60028A	SPACER-DY;-,-,NEOPRENE,-,BLK,V0W				
2	A/TBC	AA98-70014E	ASSY TBC WIRE(P);-,16,NTSC,PAL,1P,-				
2	S/GUM	AA63-60004Y	SPACER-GUM,CRT;NTR RUBBER,T2.0,RED,-,ALL				
2	CDCOIL	AA65-00009B	CLAMP-D,COIL;NYLON 66,V0,-,-,21A8,-				

ASSY ACCESSORY

1	A/ACCS	AA92-07547Z	ASSY ACCESSORY;TXN1634FX/XAA,K15D				
2	AC-TAP	0203-001279	TAPE-OPP MASKING;#232,T0.14,W15,L50000,Y				
2	C/WARR	AA68-01433A	CARD WARRANTY;TV/TVCR,ALL,W/P100(G),B5,				
2	B/WARR	AA68-01561A	CARD WARRANTY;BLOCK,STATEMENT ONLY,SEA/S				
2	C/REG	AA68-01969A	CARD;REGISTRATION PRODUCT,W/P120(G),SEA				
2	BAG-PE	AA69-01195A	BAG PE;CL29A6W8X,HDPET0.012,93/4X151				
2	RMT	AA59-00108C	REMOCON;DP,TM59,AA59-00077C,21,STR				
2	BATT	4301-00012D	BATTERY-MN;1.5V,-,AA				
2	I/B	AA68-02833A	MANUAL USERS;ENG,W/P100,B5,K15D				
2	T/MATC	AA26-90001F	TRANS-MATCHING;-,-,3000HM/750HM,NTSC,40-89				
2	A/ROD	AA42-00004A	ANT ROD;VHF,4SDODIPOLE850MMBRN				

7-2 CT20F3FX/XAP

Loc. No.	Code No.	Description ; Specification	Remark
ASSY CHASSIS			
1	A/CHAS AA91-05626A	ASSY CHASSIS;K15D,20,F/V,MONO,LATIN,CT2	
2	CLW/HS AA65-30018A	CLAMP-WIRE,-,NYLON6.6,-,DATL	
2	FBT AA65-30018A	CLAMP-WIRE,-,NYLON6.6,-,DATL	
2	A/MAIN AA96-01095A	ASSY PCB P-MAIN;K15D,20,MONO,F/V,LATIN,	
3	0204-000442	SOLVENT;CH3-CH5H-CH396%IM-1000	
3	0202-000008	SOLDER-WIRE;S63S-D3.0,S63A,D3,63/37	
3	0204-001024	FLUX;DF-96TVS,-,20%,-	
3	0202-000187	SOLDER-WIREFLUX,-,RS60S,D1.2,6	
3	Q401 0502-001115	TR-POWER;KSC5386,NPN,50W,TO-3PF,ST,8	
3	IC902 1103-001209	IC-EEPROM;AT24C04-PC27 C,512Kx8Bit,DIP8	
△3	CY801S 2201-000446	C-CERAMIC,AC;CK45PE400V332-MIT	
△3	CR401S 2303-001015	C-FILM,PPFF;5.5NF,5%,1.6KV,TP,	
△3	SF101S 2904-001221	FILTER-SAW AV,45.75MHz,SIP5K,ST,14.2dB,M	
3	SWN01 3404-000295	SW-TACT,V;KPT1122R1KEYSTT-0.3M	
△3	FP801S 3601-001012	FUSE-FERRULE;250V,4A,SLOW-BLOW	
△3	V999S 3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
3	JA701 3722-000162	JACK-PIN;2P,3.4MM,-,SN	
△3	IC201S AA09-00374A	IC MICOM;TDA9377PS/N2/AI,TXM1967,64P,3.3	
△3	T801S AA26-00172A	TRANS-SWITCHING;EER3543,K15D,90-264,PM2A	
△3	T444S AA26-00065A	TRANS FBT,-,FSV-14A004C(S),14-22,125V	
△3	T401 AA26-50001B	ORIZ.DRIVE,-,7.1MH,102UH,10-2	
△3	LR401S AA27-00053A	COIL-LINEARLITY,-,193uH,DR10X10 C:4.35,7	
△3	LX801S AA29-30001D	FILTER-LINE,-,6.0MH,2A,-,SQ191	
3	RM901 AA32-00015A	MODULE-REMOCON;FRP-3521H31,38KHZ,940MM,M	
3	CN501 AA39-20620B	LEAD-CONNECTOR;ASSY,9P,YBNH250-09,S,400m	
△3	TU01S AA40-00073A	TUNER-TECC1040PG32A(S),181CH,45.75MHZ,75	
3	IC301 AA96-00244A	ASSY H/S,-,AA62-00046A,LA7840,-	
4	0205-000129	GREASE-SILICON;SC102,JAPAN	
4	1204-001483	IC-VERTICAL PROCESSO;LA7840,SIP,7P,708MI	
4	6003-000335	SCREW-TAPTITE;RH,+2S,M3,L8,ZPC(YEL),SWR	
4	AA62-00046A	HEAT SINK-PS,-,T1.0,-,D1(DREAM) 60X25X	
3	IC601 AA96-00244D	ASSY H/S,-,SOUND,AA62-00046A,TDA7266M,-	
4	0205-000129	GREASE-SILICON;SC102,JAPAN	
4	1201-001600	IC-AUDIO AMP;7266,ZSIP,15P,-,SINGLE,26dB	
4	6003-000335	SCREW-TAPTITE;RH,+2S,M3,L8,ZPC(YEL),SWR	
4	AA62-00046A	HEAT SINK-PS,-,T1.0,-,D1(DREAM) 60X25X	
△3	IC802 AA96-00245A	ASSY H/S,-,AA62-00055A,KA7632,-	
4	1203-001939	IC-POS.FIXED REG.,7632,SIP,10P,-,PLASTI	
4	6003-000334	SCREW-TAPTITE;RH,+2S,M3,L6,ZP	
4	AA62-00055A	HEAT SINK-PS,-,T1.0,-,35*15*25,D1,-,,-	
3	IC501 AA96-50311A	ASSY-H/S,-,VIDEO,AA62-30175D,TDA6107Q,-	
4	1201-001159	ICVIDEOAMP;TDA6107Q,ZIP,9P,300	
4	6003-000334	SCREW-TAPTITE;RH,+2S,M3,L6,ZP	
4	AA62-30175D	HEATSINK-PS,-,SECC,T1.0,-,33X15X30FT-2	
△3	IC801S AA96-00816A	ASSY H/S,POWER,AA62-00112A,5Q0765RT,TR	
4	0205-000129	GREASE-SILICON;SC102,JAPAN	
4	1203-001932	IC-PWM CONTROLLER;5Q0765,TO-220F,5P;185M	
4	6003-000335	SCREW-TAPTITE;RH,+2S,M3,L8,ZPC(YEL),SWR	
4	AA62-00112A	HEAT SINK;TROJAN,AL1050,T2.0,W54.0,H40.	
3	LD901 AA96-00555A	ASSY LED GUIDE,-,UEX-LD-030,GREEN	
3	C801 2401-002219	C-AL;220UF,20%,400V,-,25X40,10MM,ST	
△3	NT801S 1404-001045	THERMISTOR NTC;4.7OHM,15%,2900K,35.0MMW,T	
3	CN603 3711-002642	POST-HEADER;67094-003(AUTO)	
△3	P803S 1404-001265	THERMISTOR-PTC;4.5OHM/1000HM,+30/-20%,22	
3	GT101A AA39-20010H	LEAD-CONNECTOR,ASSY,YFH800-01,S,1P,300,	
3	L/PQS AA68-01018A	LABEL-PQS,-,50mmX,13,-,WHITE,-	
3	A/AUTO AA97-13358A	ASSY AUTO;K15D,20,F/V,MONO,LATIN,CT20F3	
4	D201 0401-000005	DIODE;1N4148,100V,300mA,1V,8nS,TAPING	
4	D601 0401-000005	DIODE;1N4148,100V,300mA,1V,8nS,TAPING	
△4	D811 0401-000005	DIODE;1N4148,100V,300mA,1V,8nS,TAPING	
△4	D803 0401-000006	DIODE-SWITCHING;BAV21,250MA,400MW,50NS,2	
△4	D804 0401-000006	DIODE-SWITCHING;BAV21,250MA,400MW,50NS,2	
4	D303 0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41	
△4	D809 0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41	
4	D501 0402-000254	DIODE-RECTIFIER;RGP10J,600V,1A,DO-41	
△4	D807 0402-000493	DIODE-RECTIFIER;1R5GU41,400V,1	
4	D302 0402-000534	DIODE-RECTIFIER;RG10V,400V,1.5	
4	D301 0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
4	D304 0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	

Loc. No.	Code No.	Description ; Specification	Remark
4	D401 0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
4	D502 0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
4	D503 0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
4	D504 0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
△4	D812 0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
△4	D801S 0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-2	
△4	D802S 0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-2	
△4	D803S 0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-2	
△4	D804S 0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-2	
4	DZ211 0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
4	DZ401 0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
4	DZ402 0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
4	DZ903 0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
4	DZ904 0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
4	DZ905 0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
4	DZ803 0403-001039	DIODE ZENER;MA2560,56V,52-60V,1W,DO-41,T	
4	DZ101 0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,	
4	DZ303 0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,	
4	DZ604 0403-000719	DIODE-ZENER;MTZJ7.5B,7.5V,7.07-7.45V,500	
4	DZ201 0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
4	DZ202 0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
4	DZ205 0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
4	DZ306 0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
4	DZ307 0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
4	DZ501 0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
4	DZ502 0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
4	DZ503 0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
4	DZ504 0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
4	DZ806 0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
4	DZ807 0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
4	DZ808 0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
4	DZ801 0403-001140	DIODE-ZENER;RD10ESAB-T4,10V,9.19-10.30V,	
4	DZ204 0403-001211	DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D	
4	DZ302 0403-001221	DIODE-ZENER;UZ39B5B,35.36-37.19V,500MW,D	
4	DZ802 0403-001318	DIODE-ZENER;MTZJ4.3B,4.3V,4.17-4.43V,500mW,DO	
4	DZ901 0403-001373	DIODE-ZENER;MTZJ5.1A,4.81V-5.07V,500mW,D	
4	DZ805 0403-001327	DIODE-ZENER;MTZJ18A,16.22-17.06V,500mW,D	
4	DZ301 0403-001328	DIODE-ZENER;MTZJ22A,20.15-21.20V,500mW,D	
4	DZ305 0403-001328	DIODE-ZENER;MTZJ22A,20.15-21.20V,500mW,D	
4	Q201 0501-000283	TRANSISTOR;KSA539-Y(TAPG)/YTAM	
4	Q901 0501-000283	TRANSISTOR;KSA539-Y(TAPG)/YTAM	
4	Q402 0501-000369	TRANSISTOR;KSC2331-Y(TAPG)	
4	Q202 0501-002183	TR-SMALL SIG;KTC9014,NPN,625MW,TO-92,100	
4	Q601 0501-002183	TR-SMALL SIG;KTC9014,NPN,625MW,TO-92,100	
4	R207 2001-000005	R-CARBON;3900HM,5%,1/8W,AA,TP	
4	R905 2001-000005	R-CARBON;3900HM,5%,1/8W,AA,TP	
4	R906 2001-000005	R-CARBON;3900HM,5%,1/8W,AA,TP	
4	R206 2001-000010	R-CARBON;68KOHM,5%,1/8W,AA,TP,1.8x3.2mm	
4	R301 2001-000016	R-CARBON(S);10HM,5%,1/2W,AA,TP	
4	R843 2001-000019	R-CARBON(S);10ohm,5%,1/2W,AA,TP,2.4x6.4m	
4	R409 2001-000022	R-CARBON(S);330HM,5%,1/2W,AA,T	
4	R823 2001-000037	R-CARBON(S);330HM,5%,1/2W,AA,	
4	R808 2001-001138	R-CARBON(S);3900HM,5%,1/2W,AA,	
4	R902 2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP	
4	R904 2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP	
4	R287 2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP	
4	R211 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R233 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R501 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R502 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R506 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R510 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R511 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R512 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R909 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R911 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R912 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R913 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R914 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R917 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R933 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R934 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	
4	R942 2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP	

Loc. No.	Code No.	Description ; Specification	Remark	Loc. No.	Code No.	Description ; Specification	Remark
4	R943	2001-000281	R-CARBON;1000HM,5%,1/8W,AA,TP,	4	R421	2008-001011	R-FUSIBLE(S);0.180HM,10%,2W,AF
4	R291A	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	R420	2008-001047	R-FUSIBLE(S);680hm,5%,2W,AF,TP,3.9x10mm
4	R601	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	C806	2301-001435	C-FILM,PPF;1.5nF,5%,1.2kV,TP,15x8x12.5mm
4	R612	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	C501	2201-000192	C-CERAMIC,DISC;10PF,0.25PF,500V,NPO,-,5M
4	R828	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	C302	2201-000259	C-CERAMIC,DISC;180PF,10%,500V,Y5P,6x4MM,
4	R910	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	△4	CR409S	2201-000639	C-CERAMIC,DISC;680PF,10%,2KV,Y5P,-,5MM,T
4	R606	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	C908	2201-000573	C-CERAMIC,DISC;47PF,5%,50V,NPO
4	R224	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,	4	C909	2201-000573	C-CERAMIC,DISC;47PF,5%,50V,NPO
4	R225	2001-000325	R-CARBON;1200HM,5%,1/8W,AA,TP,	4	C408	2201-000599	C-CERAMIC,DISC;560PF,10%,500V,
4	R205	2001-000397	R-CARBON;180KOHM,5%,1/8W,AA,TP,	△4	CR404S	2201-000639	C-CERAMIC,DISC;680PF,10%,2KV,Y5P,-,5MM,T
4	R218	2001-000411	R-CARBON;18KOHM,5%,1/8W,AA,TP,	4	C503	2201-000723	C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5
4	R602	2001-000429	R-CARBON;1Kohm,5%,1/8W,AA,TP,1.8x3.2mm	4	C811	2201-000991	C-CERAMIC,HIC;CK45(T)B2KV561-K
4	R604	2001-000429	R-CARBON;1Kohm,5%,1/8W,AA,TP,1.8x3.2mm	4	C105	2202-000127	C-CERAMIC,MLC-AXIAL;10NF,+80-2
4	R926	2001-000429	R-CARBON;1Kohm,5%,1/8W,AA,TP,1.8x3.2mm	4	C111	2202-000127	C-CERAMIC,MLC-AXIAL;10NF,+80-2
4	R944	2001-000429	R-CARBON;1Kohm,5%,1/8W,AA,TP,1.8x3.2mm	4	C912	2202-000127	C-CERAMIC,MLC-AXIAL;10NF,+80-2
4	R918	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP	4	C223	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50
4	R940	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP	4	C224	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50
4	R941	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP	4	C602	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50
4	R220	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP	4	C906	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50
4	R901	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP	4	C505	2202-000825	C-CERAMIC,MLC-AXIAL;680PF,10%,50V,Y5P,TP
4	R903	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP	4	C226	2202-000829	C-CERAMIC,MLC-AXIAL;820pF,10%,50V,Y5P,TP
4	R907	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP	4	C211	2202-002037	C-CERAMIC,MLC-AXIAL;100NF,+80-20
4	R908	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP	4	C502	2301-000213	C-FILM,PEF;220NF,5%,250V,TP,5.5x7x3.5mm
4	R214	2001-000490	R-CARBON;2000HM,5%,1/8W,AA,TP,	4	C109	2301-000224	C-FILM,PEF;22NF,5%,50V,7.4X3.9
4	R829	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	4	C804	2301-000224	C-FILM,PEF;22NF,5%,50V,7.4X3.9
4	R208	2001-000591	R-CARBON;3.3KOHM,5%,1/8W,AA,TP	4	C309	2301-000254	C-FILM,PEF;39NF,5%,50V,7.5X3.5X6.5MM,5MM
4	R202	2001-000689	R-CARBON;390KOHM,5%,1/8W,AA,TP	4	C227	2301-000301	C-FILM,PEF;6.8NF,5%,50V,6.5X5.
4	R925	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP	4	C604	2301-000301	C-FILM,PEF;6.8NF,5%,50V,6.5X5.
4	R708	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP	4	C217	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,
4	R227	2001-000739	R-CARBON;4.7MOHM,5%,1/8W,AA,TP	4	C234	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,
4	R228	2001-000739	R-CARBON;4.7MOHM,5%,1/8W,AA,TP	4	C805	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,
4	R109	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,	4	C407	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm
4	R927	2001-000793	R-CARBON;470HM,5%,1/8W,AA,TP,1	4	C248	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3.5mm,5mm
4	R203	2001-000857	R-CARBON;5600HM,5%,1/8W,AA,TP,	4	C420	2301-001065	C-FILM,MPPF;47NF,55.630V,TP,19
4	R110	2001-000924	R-CARBON;680ohm,5%,1/8W,AA,TP,1.8x3.2mm	4	C312	2305-000149	C-FILM;CF922N100VT104-J-40/105
4	R915	2001-000924	R-CARBON;680ohm,5%,1/8W,AA,TP,1.8x3.2mm	4	C301	2305-000285	C-FILM,MPEF;220NF,5%,100V,-,5M
4	R108	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP	4	C215	2305-000289	C-FILM,MPEF;220NF,5%,63V,-,5MM
4	R222	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP	4	C216	2305-000289	C-FILM,MPEF;220NF,5%,63V,-,5MM
4	R605	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP	4	C233	2305-000289	C-FILM,MPEF;220NF,5%,63V,-,5MM
4	R212	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1	△4	CR405S	2305-000382	C-FILM,MPEF;4.7NF,5%,400V,TP,-,5MM.
4	R215	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1	4	C916	2305-000412	C-FILM,MPEF;470NF,5%,63V,-,5MM
4	R610	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1	4	C103	2305-000665	C-FILM;104J, 60V,5MM TAPING
4	R408	2001-001037	R-CARBON(S);0.390HM,5%,1/2W,AA	4	C207	2305-000665	C-FILM;104J, 60V,5MM TAPING
4	R504	2001-001062	R-CARBON(S);10MOHM,5%,1/2W,AA,	4	C208	2305-000665	C-FILM;104J, 60V,5MM TAPING
4	R414	2001-001078	R-CARBON(S);15KOHM,5%,1/2W,AA,	4	C210	2305-000665	C-FILM;104J, 60V,5MM TAPING
4	R303	2003-002238	R-METAL OXIDE(S);1.30HM,5%,2W,AF,TP,3.9X10	4	C218	2305-000665	C-FILM;104J, 60V,5MM TAPING
4	R840	2001-001108	R-CARBON(S);22KOHM,5%,1/2W,AA,	4	C222	2305-000665	C-FILM;104J, 60V,5MM TAPING
4	R411	2001-001114	R-CARBON(S);270OHM,5%,1/2W,AA,	4	C230	2305-000665	C-FILM;104J, 60V,5MM TAPING
4	R809	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA	4	C803	2305-000665	C-FILM;104J, 60V,5MM TAPING
4	R810	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA	4	C819	2305-000665	C-FILM;104J, 60V,5MM TAPING
4	R405	2001-001187	R-CARBON(S);75OHM,5%,1/2W,AA,T	4	C913	2305-000665	C-FILM;104J, 60V,5MM TAPING
4	R831	2001-001045	R-CARBON(S);1.2KOHM,5%,1/2W,AB	4	C920	2305-000665	C-FILM;104J, 60V,5MM TAPING
4	R501H	2002-001008	R-COMPOSITION;1.8KOHM,10%1/2W,AA,TP,3.7	4	C225	2309-000138	C-FILM,PE-PPF;100NF,5%,50V,TP,
4	R502H	2002-001008	R-COMPOSITION;1.8KOHM,10%1/2W,AA,TP,3.7	4	C812	2401-000262	C-AL;100UF,20%,160V,GP,16X25MM,5MM,
4	R503	2002-001008	R-COMPOSITION;1.8KOHM,10%1/2W,AA,TP,3.7	4	C817	2401-000302	C-AL;100UF,20%,25V,GP,6X11MM,5
△4	RY801S	2002-001013	R-COMPOSITION;4.7MOhm,5%,1/2W,AA,TP,3.7X	4	C821	2401-000302	C-AL;100UF,20%,25V,GP,6X11MM,5
4	R402	2003-002178	R-METAL OXIDE(S) 1Kohm,5%,2W,AG,TP,3.9X1	4	C823	2401-000302	C-AL;100UF,20%,25V,GP,6X11MM,5
4	R316	2003-000652	R-METAL OXIDE(S);330ohm,5%,2W,AF,TP,4x12	4	C307	2401-000360	C-AL;100UF,20%,50V,GP,8X11MM,5
4	R413	2003-000664	R-METAL OXIDE(S);330ohm,5%,2W,AF,TP,4X12M	4	C308	2401-000360	C-AL;100UF,20%,50V,GP,8X11MM,5
4	R403	2003-002173	R-METAL OXIDE(S);7.5Kohm,5%,2W,AG,TP,3.9	4	C506	2401-000430	C-ELECTROLYTIC;CE04WTAPG250V10
4	R827	2003-000998	R-METALOXIDE;3000HM,5%,2W,AF,T	4	C403	2401-000560	C-AL;1UF,20%,160V,GP,GT,6.3,11MM
4	R407	2003-001040	R-METALOXIDE(S);47Kohm,5%,2W,AF,TP,3.9x1	4	C219	2401-000603	C-AL;1UF,20%,50V,GP,5X11MM,5MM
4	R834	2003-001040	R-METALOXIDE(S);47Kohm,5%,2W,AF,TP,3.9x1	4	C601	2401-000603	C-AL;1UF,20%,50V,GP,5X11MM,5MM
4	R603	2004-000195	R-METAL;100Kohm,1%,1/8W,AA,TP,1.8x3.2m	4	C221	2401-000660	C-ELECTROLYTIC;CE04WTAPG50V2.2
4	R423	2004-001373	R-METAL,FILM;RM1/2T100K-F	4	C212	2401-000660	C-ELECTROLYTIC;CE04WTAPG50V2.2
4	R424	2004-001402	R-METAL(S);6.8KOHM,1%,1/2W,AA,	4	C827	2401-000927	C-AL;22UF,20%,250V,GP,13X20MM,
4	R219	2004-001914	R-METAL;39KOHM,2%,1/8W,AA,TP,1	4	C110	2401-000962	C-AL;22uF,20%,50V,GP,TP,5x11.5
4	R302	2004-001371	R-METAL(S);1.5KOHM,1%,1/2W,AA,	4	C802	2401-001192	C-AL;33UF,20%,50V,GP,6X11MM,5MM,TP
4	R306	2004-001371	R-METAL(S);1.5KOHM,1%,1/2W,AA,	4	C504	2401-001232	C-AL;4.7UF,20%,250V,GP,10X12.5
4	R304	2008-000253	R-FUSIBLE(S);0.470HM,5%,1W,AF,	4	C304	2401-001397	C-AL;470UF,20%,25V,GP,10X16MM,
4	R305	2008-000253	R-FUSIBLE(S);0.470HM,5%,1W,AF,	4	C306	2401-002288	C-ELEC;CE04-55/10525V7471-MWVRG
4	R801	2008-001107	R-FUSIBLE(S);300ohm,5%,2W,AG,TP,3.9x12mm	4	C209	2401-000025	C-ALUMINUM;100uf,20%,16V,GP,TP,6.3x11.5
4	R825	2008-000266	R-FUSIBLE(S);10HM,5%,2W,AF,TP,	4	C213	2401-000025	C-ALUMINUM;100uf,20%,16V,GP,TP,6.3x11.5
4	R608	2008-000284	R-FUSIBLE(S);0.10HM,10%,2W,AF,TP,3.9X10M	4	C229	2401-000025	C-ALUMINUM;100uf,20%,16V,GP,TP,6.3x11.5
4	R609	2008-000284	R-FUSIBLE(S);0.10HM,10%,2W,AF,TP,3.9X10M	4	C903	2401-000025	C-ALUMINUM;100uf,20%,16V,GP,TP,6.3x11.5
4	R824	2008-000294	R-FUSIBLE;330HM,5%,2W,AF,TP,3.	4	C910	2401-000025	C-ALUMINUM;100uf,20%,16V,GP,TP,6.3x11.5
4	R422	2008-001011	R-FUSIBLE(S);0.180HM,10%,2W,AF	4	C605	2401-001998	C-AL;1000UF,20%,25V,GP,TP,10X20

Loc. No.	Code No.	Description ; Specification	Remark
4	C901	2401-002144	C-AL;47uF,20%,16V,GP,TP,5x11,5
4	C203	2401-000050	C-AL;10UF,20%,16V,GP,TP,5X11,2.5
4	C206	2401-000050	C-AL;10UF,20%,16V,GP,TP,5X11,2.5
4	C220	2401-000050	C-AL;10UF,20%,16V,GP,TP,5X11,2.5
4	C231	2401-000050	C-AL;10UF,20%,16V,GP,TP,5X11,2.5
4	C820	2401-000050	C-AL;10UF,20%,16V,GP,TP,5X11,2.5
4	C813	2401-002290	C-AL;47uF,20%,160V,GP,TP,13x20,5
4	C101	2401-002594	C-AL;220uF,20%,16V,GP,TP,8x11,5,5
4	C406	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5
4	C818	2401-003028	C-AL;100UF,20%,25V,WT,TP,6.3X1
4	L103	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.
4	L202	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.
4	L903	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.
4	R101	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.
4	R102	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.
4	L203	2701-000127	INDUCTOR-AXIAL;15UH,10%,2.5X3.
4	L301	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4
4	L302	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4
4	L404	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4
4	L102	2701-000159	INDUCTORAXIAL;22uH,10%,4.2x9.8mm
4	L201	2701-000159	INDUCTORAXIAL;22uH,10%,4.2x9.8mm
4	L230	2701-000159	INDUCTORAXIAL;22uH,10%,4.2x9.8mm
4	L405	2701-000159	INDUCTORAXIAL;22uH,10%,4.2x9.8mm
4	L902	2701-000177	INDUCTOR-AXIAL;33UH,10%,2.5X3.4MM
4	L904	2701-000177	INDUCTOR-AXIAL;33UH,10%,2.5X3.4MM
4	L804	2701-001030	INDUCTOR-AXIAL;43uH,10%,14x4.5mm
4	L807	2701-001030	INDUCTOR-AXIAL;43uH,10%,14x4.5mm
4	L808	2901-000297	FILTER-EMI ON BOARD;-.3A,-,-,3.5x5,TP,-
4	L806	3301-000287	CORE-FERRITEBEAD;AA,3.5X1.0X6.
4	J124	3301-000287	CORE-FERRITEBEAD;AA,3.5X1.0X6.
4	L206	3301-000287	CORE-FERRITEBEAD;AA,3.5X1.0X6.
4	J127	3301-000287	CORE-FERRITEBEAD;AA,3.5X1.0X6.
4	SW901	3404-000244	SWITCH-TACT;15V,20MA,90-170GF,
4	SW902	3404-000244	SWITCH-TACT;15V,20MA,90-170GF,
4	SW903	3404-000244	SWITCH-TACT;15V,20MA,90-170GF,
4	SW904	3404-000244	SWITCH-TACT;15V,20MA,90-170GF,
4	SW905	3404-000244	SWITCH-TACT;15V,20MA,90-170GF,
△	FD801S	3601-001086	FUSE-AXIAL LEAD;125V,5A,FAST-ACTING,GLAS
4	F801A	3602-000114	FUSE-HOLDER;-.30MOHM
4	F801B	3602-000114	FUSE-HOLDER;-.30MOHM
4	J101	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J102	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J103	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J104	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J105	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J106	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J107	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J108	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J110	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J111	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J112	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J113	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J114	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J115	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J117	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J120	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J121	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J122	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J123	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J128	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J129	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J130	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J131	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J132	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J135	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J137	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J138	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J139	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J140	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J142	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J150	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J401	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J604	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J605	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J606	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J801	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A
4	J802	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A

Loc. No.	Code No.	Description ; Specification	Remark	
4	J803	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	J804	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	J805	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	J807	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	J808	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	JAW01	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
△	L403	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	R229	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	R309	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	R507	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	R508	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	R509	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	R850	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	J822	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	J125	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	L805	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	J811	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	R805	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	J402	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	J823	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	J601	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	JAW03	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	JAW05	3812-000219	JUMPER-WIRE-SO,COPPER;TA0.6SN/52M/M/A	
4	01VER	AA41-00625B	PCB-MAIN;TXM1967X/XAA,FR-1,1L,B,1.6T,245	
4	EY401	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY402	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY403	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY404	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY405	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY414	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY415	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY416	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY417	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY418	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY419	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY420	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY421	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY501	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY819	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY827	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY829	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY833	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY701	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EY702	AA60-40011A	EYELET;-.ID2.0,OD2.8,-,-,BST	
4	EL401	AA60-40011B	EYELET;-.ID2.2,OD3.2,-,-,BSP	
4	EL402	AA60-40011B	EYELET;-.ID2.2,OD3.2,-,-,BSP	
4	EL801	AA60-40011B	EYELET;-.ID2.2,OD3.2,-,-,BSP	
4	EL802	AA60-40011B	EYELET;-.ID2.2,OD3.2,-,-,BSP	
4	GT501	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
4	GT801	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
4	GT802	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
4	GT803	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
4	GT804	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
4	GT805	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
4	GT101	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
4	GT806	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
4	GT301	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
4	GT302	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
4	GT401	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
4	GT402	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
4	Z201	2903-000129	FILTER-CERAMIC,BR,4.5MHz,-,-,TP,-	
4	C915	2401-002009	C-AL;100UF,20%,16V,GP,TP,6.3X7	
4	R505	2008-000264	R-FUSIBLE(S);10HM,5%,1W,AF,TP,	
△	CR403S	2306-000179	C-FILM,MPPF;300nf,5%,250V,TP,20x18.5x10.	
4	C815	2401-000703	C-ELEC;CE04-40/8525VT222-MWSD	
△	D805	0402-001443	DIODE-RECTIFIER;EGP20K,800V,2A,DO-15,TP	
4	R811	2003-002239	R-METAL OXIDE(S);100KOHM,5%,2W,AF,TP,3.9	
4	R812	2003-002239	R-METAL OXIDE(S);100KOHM,5%,2W,AF,TP,3.9	
4	C603	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5	
4	L802	3301-001223	CORE-FERRITE BEAD;AB,-,3.5X5X0.8MM,-,TP,	
4	L803	3301-001223	CORE-FERRITE BEAD;AB,-,3.5X5X0.8MM,-,TP,	
4	C232	2301-000289	C-FILM,PEF;5.6NF;5%,50V,6.5X5.	
4	L/LINE	AA68-015444	LABEL;LINE,ALL MDL COMMON	
4	R607	2001-000613	R-CARBON;3.9KOHM,5%,1/8W,AA,TP	
△	2	PWR/AC	AA96-20109C	ASSY PWR-CORD;CP2/NOI(4.0)H/C300,KKP419C,
3			AA39-10006X	POWER-CORD;-.KKP419C,KLCE-2F,2.286MT
3			AA61-20284A	HOLDER P CORD;PP,VO,BLK,KE-002

Loc. No.	Code No.	Description ; Specification	Remark
----------	----------	-----------------------------	--------

ASSY COVER FRONT

1	A/CFRN	AA90-04320B	ASSY COVER FRONT;CT20F3FX/XAX
2	SPK+CF	6002-000512	SCREW-TAPPING;RH,+2,M4,L12,ZP
2	CRT+CF	AA60-10050R	SCREW-ASSY;WC,HH,+M5,L31.5,SWR
2	STOPPE	AA61-40113A	STOPPER-PCB;-ABS,HB,NTR.
2	F/C	AA64-03156A	CABINET-FRONT;20F3(SAMEX),HIPS HB
3	KC+CF	6002-000512	SCREW-TAPPING;RH,+2,M4,L12,ZP
3	WR+CF	6002-000512	SCREW-TAPPING;RH,+2,M4,L12,ZP
3	SPRING	AA61-60003J	SPRING ETC-CS;-SUS304,-,OD6,N7,OD6,-
3	WR	AA64-03012A	WINDOW-RMC,LED;14F3,PC,CLR
3	KC	AA64-03007A	KNOB-CONTROL;14F3,ABS,HB,G3676,SVM-3012
3	KP	AA64-03008A	KNOB-POWER;14F3,ABS,HB,G3676,SVM-3012
2	BADGE	AA64-70126A	BADGE-BRAND;-AL,-,L=45,SAMSUNG,SILVER
2	CWIRE2	AA65-30018A	CLAMP-WIRE;-NYLON6 6,-,DATL
2	CWFC	AA65-30105A	CLAMP-WIRE;NYLON 66N,VO,NTR,15MM
2	L/QMS	AA68-02391A	LABEL-QMS;ART-PAPER(90)G,110x24mm
2	A/SPK	AA96-10007A	ASSY-SPEAKER;-80HM,5W,05F14BRA,-L300
3	SPK	3001-001037	SPEAKER;5W,80HM,89DB,180HZ
3	L/SPK	AA39-20500G	LEAD CONNECTOR-ASSY;-67096-003,REC,3(2)
2	C-F	AA65-00011C	CLAMP-WIRE;ALL MODEL,NYLON 66,V2,NTR,25M

ASSY COVER REAR

1	A/REAR	AA90-04321B	ASSY COVER REAR;CT20F3FX/XAX
2	CB+CF	6003-001026	SCREW-TAPTITE;RH,+B,M4,L15,ZPC(BLK),SWR
2	B/C	AA64-03157A	CABINET-BACK;20F3(SAMEX),HIPS HB
2	AC+BC	AA65-30008A	CLAMP-CORD;-PE,HB,BLK,-
2	H/T	AA61-00356B	HOLDER-TUNER,F/JACK;-501F,ABS,HB,BLK,-
2	SPCBC	AA60-00091J	SPACER-FELT;-FELT,330X10,-,BLK,T0.5,-

ASSY BOX

1	A/BOX	AA92-07475A	ASSY BOX;K15D,20F3,XAP/XAO
2	L/BOX	AA68-01542A	LABEL;(UNIBOX),PAPER WHT ALLMD
2	PCK	AA69-01902B	PACKING CASE;20F3,D-2 BB,A1,YEL,SAMEX(AM)

ASSY LABEL

1	A/LABE	AA92-07469A	ASSY LABEL;K15D,20,XAP/STR
2	L/RAT	AA68-02292A	LABEL-RATING;TROJAN,ART PAPER 90,60X90mm

ASSY P/MATERIAL

1	A/PACK	AA92-07233B	ASSY P/MATERIAL;CT20F3FX/XAX
2	BXTAPE	0203-001295	TAPE-OPP MASKING;1242,T0.06,W100,L91.4M,
2	C/SET	AA69-01809A	CUSHION-SET;20F3,PS FOAMED,C=0.02
2	PE-BAG	AA69-01208A	BAG;SHEET,19-20,W42,L50,FOAM,OEM
2	STAPLE	AA60-40006A	PIN-STAPLE;-,-,H18,33X17.8X2

ASSY CPT

1	A/CPT	AA91-06032A	ASSY CPT;A48KRD82X(H)+380MG,NONAFTA,MALA
2	TAPE	0203-000432	TAPE-ACETATE;ACETATET0.25W19WH
△	CRT	AA03-00246A	CRT-COLOR;A48KRD82X(H)+380MG,NONAFTA,MAL
2	C-Y	AA27-00002A	MAGNET-CONVERGENCE;JH291-SC-OB,29.1M
2	D-Y	AA27-00127A	DEFLECTION YOKE;-DSE-1992LL,A48KRD82X,-
2	D-COIL	AA27-00254A	COIL DEGAUSSING;20INCH,10%,70TS,4.5OHM,
2	CDCOIL	AA61-00734A	HOLDER;25POLYVINYL,DEGAUSSING,CHLORI
2	SPACER	AA63-60028A	SPACER-DY;-NEOPRENE,-BLK,V0W
2	A/TBC	AA97-01678A	ASSY TBC WIRE;19,NTSC,1P,SAMEX
2	TAPE-D	0203-001279	TAPE-OPP MASKING;#232,T0.14,W15,L50000,Y
2	CRT+DC	0203-001160	TAPE FILAMENT SCOTCH#8915,T0.16,W24,L0.1

Loc. No.	Code No.	Description ; Specification	Remark
----------	----------	-----------------------------	--------

ASSY ACCESSORY

1	A/ACCE	AA92-07477A	ASSY ACCESSORY;K15D,14/20,XAP/XAO
2	AC/TAP	0203-001279	TAPE-OPP MASKING;#232,T0.14,W15,L50000,Y
2	PLUG	3721-000136	PLUG-CONVERSION;15A300VPI4.0CP
2	T/MATC	AA26-90001F	TRANS-MATCHING;-3000HM/750HM,NTSC,40-89
2	A/ROD	AA42-00004A	ANT ROD;VHF,4SDODIPOLE850MMBRN
2	RMT	AA59-00232A	REMOCON;CT20R1,SAMSUNG,BLK,TM59,25,NTS
2	C/WARR	AA68-00987A	CARD WARRANTY;W/P100,A4,1P,SELA
2	I/B2	AA68-02665A	MANUAL USERS;ENG,W/P100(G),B5,K15D
2	I/B1	AA68-02666A	MANUAL USERS;SPA,W/P100(G),B5,K15D
2	BAG-PE	AA69-01195A	BAG PE;CL29A6W8X,HDPETO.012,93/4X151

MEMO